

Welcome to Perdu!

Perdu is a literary foundation for poetry and experiment, located in the centre of Amsterdam at Kloveniersburgwal 86. Perdu is home to a bookshop, publisher and theatre. The theatre is equipped with all the necessary technical equipment to professionally support your event.

Theatre

Perdu's theatre is located in the former kitchen of a 19th-century hospital. It is a black box theatre, i.e. a room without a stage, complete with comfortable grandstand seating (56 seats) and a bar. The hall has an intimate atmosphere due to the combination of a wooden floor and black, darkening curtains. When the curtains are pushed aside, the white tiles are visible, giving the room a bright look.

Surface area	135m ²
Room dimensions	width 9m x depth 15m x height to grid 4.2m
Stage dimensions	width 9m x depth 7m (without additional rows of seats) <i>In consultation, it is possible to fold away the grandstand seating.</i>
Capacity	78 people 56 seats on the grandstand 22 separate chairs
Floor	Wood, ballet floor (black/grey/white) available
WiFi	Available

Facilities

Livestream	3 camera points
Video recording	1 camera point
Ticket sales	Online and on location via Voor De Mensen
Microphones	4 vocal microphones, 1 catheter microphone, 1 transmitter microphone
Video	1 projector, stage connection (VGA/HDMI) or via technology (VGA/HDMI/SVHS)
Cloakroom	Present in the corridor
Dressing room	There is a changing room with limited capacity
Bar	Present in the hall (coffee/tea, soft drinks, juice, wine, non-alcoholic beer, lager and various speciality beers, cava), Perdu provides occupancy. <i>Please note: there is no secluded foyer available, reception is in the theatre hall.</i>

Restrictions

Amplified music is only possible in consultation with our head technician. Hard drums, percussion, beats and electric guitars are excluded.

Technical overview:**Lights: Connection and Control**

24	Dimmer channels (2x DimBLOCK 12x 2.5kW)
4	Switch channels (1x Showtec RP-405 MKII switchpack 4x 1kW, Total 3.4kW)
1	Light table for lighting control (TTL Spring V2 light table 24 circuits).
1	USB → DMX dongle to control lighting via PC (entec DMX-Pro)
1	DMX Merger/Splitter (Britec DMS 26)
40	Shuko 230V pinning points in the grid with 40 channels patch.
1	32A CEE Power current, Additional connection in the hall.

Lights: Lamps

9	Fresnel 1kW (Old unknown brand)
4	ADB Fresnel 1kW (THH 1002 JHF).
12	Par64 (MFL) (filament is not completely free to rotate)
1	Follow spot (converted Profile spot)
6	Zoom Profile 650w 28°/40° (Preludes)
4	Profile 650w 40° with iris (Preludes)
2	Zoom Profile 1kW 17°/36° (ADB Gamma TDH 1000 JHS)
2	Zoom Profile 1kW 26°/44° (Barndoor Cantata)
2	PC spotlights. 1kW
3	Fresnel small size 500w
1	Small construction lamp 500w
1	Large construction lamp 1000w
1	Sunstrip 750w
4	6-colour led lights R, G, B, W, A, UV (Ayra Compar 60) as backlighting

Lights: Cables

9	Distribution blocks
1	20-metre DMX extension cable
*	Various lengths of Shuko 230V cable

Sound: Mixer, Mic and Di

- 1 Yamaha 01V-96 Digital mixer with 24 inputs and 18 outputs
- 1 Allen & Heath ZED16FX Sound Table (10x mono + 3x stereo + effect)
(Can be used as extra mixer on stage)
- 1 Catheter condenser microphone (Samson CM15P).
- 4 Microphones: Shure SM58, vocals and speech
- 1 Shure SM57 Instrument microphone
- 1 Shure PG58 Handheld Transmitter Microphone.
- 4 Red M5 Small-diaphragm condenser microphone.
- 5 Table stand for microphone (sitting)
- 6 Rod stand for microphone (standing)
- 1 Fishing rod stand Small
- 1 Stereo DI, Active (ART DualXDirect).
- 4 mono DI, passive (Omnitronic LH-053)
- 1 Multi cable from mixer to side stage (8x in + 4x out) (fixed installation)
- 1 Behringer FX effects generator (DSP2024P)
- 1 Behringer 2-channel compressor/limiter/gate (MDX1200)
- 1 DBX 166XS 2-channel compressor/limiter/gate
- 1 Behringer graphic 31 band stereo equaliser
- 1 ZOOM H6 4(6) channel audio recording device 24bit 96kHz

Sound: Speakers and Amplifiers

- 2 DB Technologies LVX 10 active speaker 10 inch (Hanging in grid)
- 1 Active monitor speaker, small (In use as a fill-in speaker at the bar)

Sound: Additional

- 1 CD/DVD players, (Also used as DVD player, via svhs).
- * Various lengths of XLR cables.
- * Various lengths of Jack cables
- 1 XLR multi cable 8 channels (Stageblock) 15m
- * Various audio adapters (XLR, (Mini)-Jack, RCA)

Video: Projector

- 1 *Benq-LH770 projector, full HD resolution 1080P, 5000 ANSI lumen
- 1 *VGA "1080p" connection to side stage
- 1 *HDMI "1080p" connection to technology
- 1 *HDMI "1080p" connection to side stage with possible extension
- 1 *Rolling projection screen 4.50X2.53 metres 16:9 aspect ratio

Video: Recording

- 3 Birddog P200 Camera
- 1 Birddog keyboard controller
- 1 HDMI to USB converter (Mono sound)
- 1 NDI network available for capture
- 1 PC for streaming / recording

Video: Additional

- 1 Roland V-02HD Video mixer (HDMI 2x input, 1x output + preview)
- 1 Benq-1060 projector, full HD resolution 1080P, 2000 ANSI lumens
- 1 VGA Cable 20 metres "1080p"
- 1 BNC Cable with adapter to tulip 25 metres
- 1 HDMI Cable 15 metres
- 1 HDMI Cable 3 metres
- 1 VGA to HDMI "1080p"
- 1 HDMI Switch (3in 1 out) "1080p"
- 1 DVI to VGA reducer
- 1 HDMI A female to HDMI C male reducer
- 1 DVI to HDMI adapter
- 1 DISPLAYPORT to DVI
- 4 MAC to HDMI converter plug (5 different types)
- 1 Sony DVD player
- 1 Overhead projector
- 1 Logitech Professional Presenter R700 (for PowerPoint)

Instruments

- 1 Piano Preludium (tuning possible via Perdu, costs: €70,-)

Contact

Space rental	Ruben Ing ruben@perdu.nl 020 627 62 95 (present: Monday-Thursday 09.30-15.30)
Head Technician	Bram Giebels techniek@perdu.nl 06 382 577 24
Production Manager	Emma Hogendorp emma@perdu.nl 06 436 434 21